


# DUAL-FLEX MARINE & INDUSTRIAL ENGINE VIBRATION ISOLATORS DF-100



Manufactured in U.S.A.

## DF-100

The ("Dual Flex") DF-100 Engine Mount features heavy duty cast aluminum alloy construction with a durable oil and fuel resistant elastomer element for long life. Lowest profile mount-requires only 1 7/8" minimum clearance from casting base to top of leveling nut. Easy installation with threaded 5/8" stud for vertical height

adjustment, furnished complete with leveling, and locking nuts.

Aluminum base cast with one 3/8" mounting hole and one slotted hole for either 3/8" bolts or lag screws, on 4" centers. All steel parts are zinc dichromate plated for corrosion resistance.

Recommended for 4 point mountings up to 850 pounds.

<b>SUGGESTED MOUNTINGS</b>	
<b>ENGINE WEIGHTS</b>	<b>4 POINT MOUNTINGS</b>
<b>Up to 850 lbs</b>	<b>DF-100</b>

The Bushings, Inc. "Dual Flex" Marine Engine Mount design provides outstanding vibration isolation control across the three (longitudinal, lateral, and vertical) fields of vibratory motion. Construction of the mount gives a soft cushioning effect under normal loads, as mount loads increase across the operating range, shear resistance grows quickly providing smooth operation with a small amount of deflection.



## **BUSHINGS, INC.**

**1967 Rochester Industrial Drive  
Rochester Hills, Michigan 48309-3340  
Phone:(248)650-0603 Fax:(248)650-0606  
www.bushingsinc.com**

